



Cube Luxury Series CL4G Outdoor Sauna 50D" x 81W" x 83H"







Note: Please read manual before construction

# saunalife

Cube Luxury Series CL4G Outdoor Sauna 50D" x 81W" x 83H"



# **Tools needed**




DET 4			
DET 1	<b>x2</b>	41.34" *4" *2"	
Auticle		41.34	
Article.			
K-SM100/1050			
DET 2	х3	51.18" *4" *2"	
A - 45 - 1 -		51.18	
Article.			
K-SM100/1300			
DET 3	<b>x1</b>	*1.65"	
		21" *A.33"	
Article.		49.11	
T-STL117/1250XLM0			
DET W	<b>x2</b> kmpl	W2 • W1	
		₩3	
Article.		W4	
MU-TRAPP			
DET 3	x64	(5"	
		49.21" *4.6" *1.65"	
Article.		49.21	
T-STL117/1250-01			
DET 3/H	<b>x2</b>	(5)	
		49.21" *4.6" *1.65"	
Article.		49.27	
T-STL117/1250-01X			
DET Sb	<b>x1</b>		
Article.		3/16.7*21.	
IC-TE-20-PR-12/15V			
DET Sa	<b>x1</b>	16.2" *21.36" *1.01" 2	
		*11.36	
Article.		16.21.	
IC-TE-20-PR-12/15P			
DET Ta	<b>x1</b>		
		*1.1	
Article.		24" *5.63" *1.1	
T-SL117/610UK1		2"	
DET Tb	<b>x1</b>	*1.1"	
Article.		3,1"	
T-TL94/610J			


		1	
DET V	<b>x4</b>	1.58" *1.58" * 1"	
Article.		1.58" *1.300	
KI-VIN-25/40/40-ZN			
DET U1	<b>x1</b>	76.38" *3.7" *1.1"	
Article.		16.38" * 3.	
K-TL94/1940			
DET Y1	<b>x1</b>		
Article.			
T-IC-PTS-20/28-V		16.62***	
DET Y2			
DE1 12	<b>x1</b>	*31.7	
		16.62**31.2	
Article.			
T-IC-PTS-20/28-P			
DET U2	<b>x1</b>	72.83" *3.7" *1.1"	
Article.		12.83	
K-TL94/1850			
DET 6			
	<b>x2</b>	49.21" *2.32" *1.65"	
Autiolo		21" *2.32	
<b>Article.</b>		49.1	
T-STL117/1250XL-01			X
DET 6c/d/e/f	<b>x1</b>	A9.21" *X" *1.65" X X X	1"   1   3/8"
Article.		49.21	3/4"
T-STL117/1250KO-01			1 3/16
<b>DET A1</b>	x2		
	XZ		~72.5"
Article.			
MU-VIT1840-KLZN			
DET A2	<b>x2</b>		~191.5"
Article.			
MU-VIT4860-KLZN			
DET G	<b>x1</b>		
Article.			
MU-VENT-100-PU			


DET E		1	
DET F	х3		
Article.			
MU-VENT-100-ZN			
DET 10a	x2	20.08" *1.73" *1.73"	
Article.		70.08" *1.13	
K-HP44/510XP		, 4	
DET 10c	<b>x1</b>	6.7" * 1.73"	
Article.		61" *1.13	
K-HP44/170		0.	
DET 10	<b>x1</b>	16" *21.34" *2.84"	
,		16"	
Article.			
TL-LAMOD-1930-KA	01		
DET 10b	<b>x1</b>	25.67" *1.73" *1.73"	
Article.		26.67" * 1.1	
K-HP44/652		1 23	
DET 12	<b>x1</b>	49.21"* 8.27"*2.84"	
Article.			
TL-LAMOD-1250-01			
DET 12a	<b>x1</b>	*113'	
Article.		9,84" *1.73"	
K-HP44/250XP-XP		9.8"	
DET 14	<b>x1</b>	16"*15"*2.84"	
		16"	
Article.			
TL-STMOD-1930-KA01			
DET 21	<b>x1</b>		
		23.25	
Article.		66.54" *23.23"	
U-KL-6/17-PR		99	
<u>L</u>		<u> </u>	


DET 21c	<b>x2</b>	*1.13"	
Article.		66.54" *1.73" *1.73"	
K-HP44/1690			
DET 21d	x2	2"	
	**	26.71" *1.73" *1.73"	
Article.		26.71" *1.1	
K-HP44/680	_		
DET 21a	<b>x2</b>	**0.71"	
Article.		65.35" *1.73" *0.71"	
K-HL44/1660			
DET 21b	<b>x2</b>	25.6" *1.73" *0.71"	
Article.		c" * 2.13" * 2	
K-HL44/650	_	25.6	
DET 16	<b>x1</b>	24.88" *24.72" *1.1"	A B 3° 24.61" + 23.74
Article.		24.80	D 24.61" + 23.11" + 23.11" + 24.21" + 22.16" +
TL-PIMOD-632-01			F C 31° F
DET 15	<b>x1</b>	18.7" *3.55" *1.1"	
Article.		48.7" *3.53	
TL-LAV90/475			
DET 22	x2		
		49.21,*2,*2,	
Article.		49.11	
T-STL-1250-XX			
Underlay felt	26´		
Article.			
KAT-AL			
DET N	х5		
Article.			
KAT-HAR-MUST			
DET O	x42		
Article.			
KAT-SIN-MUST			

DET 25a	<b>x8</b>	11				
Article.		12.56.7"				
MU-OL-IC-20-1						
DET 25b	х8	15.36"				
Article.						
MU-OL-IC-20-2						
<b>Article.</b> KI-KERL-12-RV4			<b>Article.</b> KI-USA-ICO-			м т # #
D • E •	C \ L=~	9.85"	Bit PH2  Torx bits  T10 T15  T20 T25	L	05x   3/16   x 21/2   X   3/16   x 2   X   X   X   X   X   X   X   X   X	274" X 378" CHIL













Wooden back wall assembly








5.




















#### Use waterlevel for installation!








14.





Please be careful!!! Do not hit the glass with the screw.















Attention! Refer to shingle installation manual provided in package.



III

